ELSEVIER

Molecular Brain Research 61 (1998) 251–252

MOLECULAR BRAIN RESEARCH

Author Index

Arabia, A.-M., Shen, P.-J. and Gundlach, A.L.
Increased striatal proenkephalin mRNA subsequent to production of spreading depression in rat cerebral cortex: activation of corticostriatal pathways? (61) 195

Barke, R.A., see Roy, S. (61) 190
Bell, R.A., see Wong, D.L. (61) 154
Berchtold, N.C., see Oliff, H.S. (61) 147
Bernard, M., see Chong, N.W. (61) 243
Byers, M.R., see Wheeler, E.F. (61) 23

Cassone, V.M., see Chong, N.W. (61) 243
Chaparro, O., Yu, W.-h.A. and Shaw, P.A.
Isoproterenol-induced expression of the cystatin S gene in submandibular glands of parasympathectomized rats (61) 136
Cheung, N.Y., see Hirst, W.D. (61) 90
Cho, S., see Jung, N. (61) 162
Chong, N.W., Cassone, V.M., Bernard, M., Klein, D.C. and Iuvone, P.M.
Circadian expression of tryptophan hydroxylase mRNA in the chicken retina (61) 243
Cotman, C.W., see Oliff, H.S. (61) 147

Dragunow, M., see Walton, M. (61) 11
Drukarch, B., see Van de Witte, S.V. (61) 219
Dunn, R.J., see Niloff, M.S. (61) 78

Ebert, S.N., see Wong, D.L. (61) 154
Erdtmann-Vourliotis, M., Mayer, P., Riechert, U., Grecksch, G. and Höllt, V.
Identification of brain regions that are markedly activated by morphine in tolerant but not in naive rats (61) 51

Feldpaush, D.L., see Meng, Z.-h. (61) 39
Friedman, L.K. and Velísková, J.
GluR2 hippocampal knockdown reveals developmental regulation of epileptogenicity and neurodegeneration (61) 224

Gale, K., see New, K.C. (61) 121
Gillardon, F., Hata, R. and Hossmann, K.-A.
Delayed up-regulation of *Zac1* and PACAP type I receptor after transient focal cerebral ischemia in mice (61) 207
Gluckman, P., see Walton, M. (61) 11
Grecksch, G., see Erdtmann-Vourliotis, M. (61) 51
Gundlach, A.L., see Arabia, A.-M. (61) 195

Hansen, W., see Walton, M. (61) 11
Hashimoto, K., see Nakahara, T. (61) 238
Hata, R., see Gillardon, F. (61) 207
Her, S., see Wong, D.L. (61) 154
Hirst, W.D., Cheung, N.Y., Rattray, M., Price, G.W. and Wilkin, G.P.
Cultured astrocytes express messenger RNA for multiple serotonin receptor subtypes, without functional coupling of 5-HT_1 receptor subtypes to adenylyl cyclase (61) 90
Hisatomi, S., see Nakahara, T. (61) 238
Höllt, V., see Erdtmann-Vourliotis, M. (61) 51
Holmes, M.C., see Robson, A.C. (61) 1
Hondo, H., see Nakahara, T. (61) 238
Hossmann, K.-A., see Gillardon, F. (61) 207

Isackson, P., see Oliff, H.S. (61) 147
Ishiguro, H., see Suzuki, T. (61) 69
Ishii, N., see Matsumoto, K. (61) 179
Iuvone, P.M., see Chong, N.W. (61) 243

Jacques, D., Tong, Y., Shen, S.H. and Quirion, R.
Discrete distribution of the neuropeptide Y Y_5 receptor gene in the human brain: an in situ hybridization study (61) 100
Jung, N., Sun, W., Lee, H., Cho, S., Shim, C. and Kim, K.
Gonadotropin-releasing hormone (GnRH) gene regulation by *N*-methyl-D-aspartic acid in GT1-1 neuronal cells: differential involvement of c-*fos* and c-*jun* proto-oncogenes (61) 162

Kakizawa, K., Nomura, H., Yoshida, A. and Ueda, H.
Signaling of lysophosphatidic acid-evoked chloride current: calcium release from inositol trisphosphate-sensitive store (61) 232
Kim, K., see Jung, N. (61) 162
Kitahara, T., Takeda, N., Uno, A., Kubo, T., Mishina, M. and Kiyama, H.
Unilateral labyrinthectomy downregulates glutamate receptor δ-2 expression in the rat vestibulocerebellum (61) 170
Kiyama, H., see Kitahara, T. (61) 170
Klein, D.C., see Chong, N.W. (61) 243
Korhonen, P., see Salminen, A. (61) 203
Kraus, J.E. and McNamara, J.O.
Measurement of NMDA receptor protein subunits in discrete hippocampal regions of kindled animals (61) 114
Kubo, T., see Kitahara, T. (61) 170

Lawlor, P., see Walton, M. (61) 11
Leckie, C.M., see Robson, A.C. (61) 1
Lee, H., see Jung, N. (61) 162
Levine, R.L., see Niloff, M.S. (61) 78
Loh, H.H., see Roy, S. (61) 190

MacGibbon, G., see Walton, M. (61) 11
Martuza, R.L., see New, K.C. (61) 121
Matsumoto, K., Ishii, N., Yoshida, S., Shiosaka, S., Wanaka, A. and Tohyama, M.
Molecular cloning and distinct developmental expression pattern of spliced forms of a novel zinc finger gene *wiz* in the mouse cerebellum (61) 179
Mayer, P., see Erdtmann-Vourliotis, M. (61) 51
McNamara, J.O., see Kraus, J.E. (61) 114
Meng, Z.-h., Feldpaush, D.L. and Merchant, K.M.
Clozapine and haloperidol block the induction of behavioral sensitization to amphetamine and associated genomic responses in rats (61) 39
Merchant, K.M., see Meng, Z.-h. (61) 39
Mishina, M., see Kitahara, T. (61) 170
Mitake, S., see Suzuki, T. (61) 69
Motomura, K., see Nakahara, T. (61) 238

Naftel, J.P., see Wheeler, E.F. (61) 23
Nagatsu, T., see Suzuki, T. (61) 69
Nakahara, T., Nakamura, K., Tsutsumi, T., Hashimoto, K., Hondo, H., Hisatomi, S., Motomura, K. and Uchimura, H.
Effect of chronic haloperidol treatment on synaptic protein mRNAs in the rat brain (61) 238
Nakamura, K., see Nakahara, T. (61) 238
New, K.C., Gale, K., Martuza, R.L. and Rabkin, S.D.
Novel synthesis and release of GABA in cerebellar granule cell cultures after infection with defective herpes simplex virus vectors expressing glutamic acid decarboxylase (61) 121
Newberry, N.R., see Watkins, C.J. (61) 108
Niloff, M.S., Dunn, R.J. and Levine, R.L.
The levels of retinal mRNA for gefiltin, a neuronal intermediate filament protein, are regulated by the tectum during optic fiber regeneration in the goldfish (61) 78
Nishizaki, T. and Sumikawa, K.
Nicotinic receptors are regulated by protein kinase C activated via a nicotinic receptors-mediated signaling pathway (61) 211
Nomura, H., see Kakizawa, K. (61) 232

Okumura-Noji, K., see Suzuki, T. (61) 69
Oliff, H.S., Berchtold, N.C., Isackson, P. and Cotman, C.W.
Exercise-induced regulation of brain-derived neurotrophic factor (BDNF) transcripts in the rat hippocampus (61) 147

Pan, M., see Wheeler, E.F. (61) 23
Pei, Q., see Watkins, C.J. (61) 108
Price, G.W., see Hirst, W.D. (61) 90

Quirion, R., see Jacques, D. (61) 100

Rabkin, S.D., see New, K.C. (61) 121
Rattray, M., see Hirst, W.D. (61) 90
Riechert, U., see Erdtmann-Vourliotis, M. (61) 51
Robson, A.C., Leckie, C.M., Seckl, J.R. and Holmes, M.C.
11β-Hydroxysteroid dehydrogenase type 2 in the postnatal and adult rat brain (61) 1
Roy, S., Barke, R.A. and Loh, H.H.
MU-opioid receptor-knockout mice: role of μ-opioid receptor in morphine mediated immune functions (61) 190

Sagrillo, C.A. and Selmanoff, M.
Effects of prolactin on expression of the mRNAs encoding the immediate early genes *zif/268* (NGF1-A), *nur/77* (NGF1-B), c-*fos* and c-*jun* in the hypothalamus (61) 62
Salminen, A., Tapiola, T., Korhonen, P. and Suuronen, T.
Neuronal apoptosis induced by histone deacetylase inhibitors (61) 203
Saura, J., see Walton, M. (61) 11
Seckl, J.R., see Robson, A.C. (61) 1
Selmanoff, M., see Sagrillo, C.A. (61) 62
Shaw, P.A., see Chaparro, O. (61) 136
Shen, P.-J., see Arabia, A.-M. (61) 195
Shen, S.H., see Jacques, D. (61) 100
Shim, C., see Jung, N. (61) 162
Shiosaka, S., see Matsumoto, K. (61) 179
Siddall, B.J., see Wong, D.L. (61) 154
Sirimanne, E., see Walton, M. (61) 11
Stoof, J.C., see Van de Witte, S.V. (61) 219
Sumikawa, K., see Nishizaki, T. (61) 211
Sun, W., see Jung, N. (61) 162
Suuronen, T., see Salminen, A. (61) 203
Suzuki, T., Usuda, N., Ishiguro, H., Mitake, S., Nagatsu, T. and Okumura-Noji, K.
Occurrence of a transcription factor, cAMP response element-binding protein (CREB), in the postsynaptic sites of the brain (61) 69

Takeda, N., see Kitahara, T. (61) 170
Tapiola, T., see Salminen, A. (61) 203
Tohyama, M., see Matsumoto, K. (61) 179
Tong, Y., see Jacques, D. (61) 100
Tsutsumi, T., see Nakahara, T. (61) 238

Uchimura, H., see Nakahara, T. (61) 238
Ueda, H., see Kakizawa, K. (61) 232
Uno, A., see Kitahara, T. (61) 170
Usuda, N., see Suzuki, T. (61) 69

Van de Witte, S.V., Drukarch, B., Stoof, J.C. and Voorn, P.
Priming with L-DOPA differently affects dynorphin and substance P mRNA levels in the striatum of 6-hydroxydopamine-lesioned rats after challenge with dopamine D1-receptor agonist (61) 219
Velísková, J., see Friedman, L.K. (61) 224
Von Bartheld, C.S., see Wheeler, E.F. (61) 23
Voorn, P., see Van de Witte, S.V. (61) 219

Walton, M., Saura, J., Young, D., MacGibbon, G., Hansen, W., Lawlor, P., Sirimanne, E., Gluckman, P. and Dragunow, M.
CCAAT-enhancer binding proteinα is expressed in activated microglial cells after brain injury (61) 11
Wanaka, A., see Matsumoto, K. (61) 179
Watkins, C.J., Pei, Q. and Newberry, N.R.
Differential effects of electroconvulsive shock on the glutamate receptor mRNAs for NR2A, NR2B and mGluR5b (61) 108
Wheeler, E.F., Naftel, J.P., Pan, M., Von Bartheld, C.S. and Byers, M.R.
Neurotrophin receptor expression is induced in a subpopulation of trigeminal neurons that label by retrograde transport of NGF or Fluoro-gold following tooth injury (61) 23
Wilkin, G.P., see Hirst, W.D. (61) 90
Wong, D.L., Siddall, B.J., Ebert, S.N., Bell, R.A. and Her, S.
Phenylethanolamine *N*-methyltransferase gene expression: synergistic activation by Egr-1, AP-2 and the glucocorticoid receptor (61) 154

Yoshida, A., see Kakizawa, K. (61) 232
Yoshida, S., see Matsumoto, K. (61) 179
Young, D., see Walton, M. (61) 11
Yu, W.-h.A., see Chaparro, O. (61) 136